

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY <i>(As Used on Label and List)</i> Lexol 3-in-1 Leather Care	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I

Manufacturer's Name Summit Industries, Inc.	Emergency Telephone Number (770) 590-0600
Address <i>(Number, Street, City, State, and ZIP Code)</i> 839 Pickens Industrial Drive	Telephone Number for Information (770) 590-0600
Marietta, GA 30062	Date Prepared March 23, 2010
	Signature of Preparer <i>(optional)</i>

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
Lexol 3-in-1 Leather Care does not contain any hazardous components.				

Section III - Physical/Chemical Characteristics

Boiling Point	212° F	Specific Gravity (H ₂ O = 1)	1
Vapor Pressure (mm Hg.)	35mm Hg	Melting Point	n/a
Vapor Density (AIR = 1)	1	Evaporation Rate (Butyl Acetate = 1)	1
Solubility in Water Mixes with water			
Appearance and Odor Translucent yellowish to brownish liquid.			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) None	Flammable Limits None	LEL None	UEL None
Extinguishing Media None	Special Fire Fighting Procedures None		
Unusual Fire and Explosion Hazards None			

Section V - Reactivity Data

Stability Stable	Unstable		Conditions to Avoid Heat. Containers may rupture.
	Stable	X	
Incompatibility (<i>Materials to Avoid</i>) None			
Hazardous Decomposition or Byproducts None			
Hazardous Polymerization	May Occur		Conditions to Avoid Heat. Containers may rupture.
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? N/A	Skin? X – possible	Ingestion? X - possible
Health Hazards (<i>Acute and Chronic</i>) Lexol 3-in-1 Leather Care is non-toxic and should be used as directed. See label. If hypersensitive to any type of chemical contact or has pre-existing skin disorder, wear protective gloves to avoid skin irritation.			
Carcinogenicity:	NTP? No	IARC Monographs? No	OSHA Regulated? No
Signs and Symptoms of Exposure None			
Medical Conditions Generally Aggravated by Exposure None			
Emergency and First Aid Procedures If product gets into eyes, rinse thoroughly with water for 15 minutes. Seek medical aid. Skin contact, wash with soap and water. If ingested, seek medical assistance or contact local poison control center.			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled Lexol 3-in-1 Leather Care is non-toxic. Collect by any convenient means and treat as non-toxic waste.
Waste Disposal Method Consult federal, state and local regulations.
Precautions to Be taken in Handling and Storing Avoid heat above 140° F which may weaken containers. Avoid pressure that would damage shipping case.
Other Precautions Do not swallow. Keep out of reach of children. For external use only. Follow directions on product label.

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>) None required		
Ventilation Not needed	Local Exhaust Not required	Special None
	Mechanical (<i>General</i>) Not needed	Other None

Protective Gloves Generally not needed, but if skin is hypersensitive to any type of chemical contact or has pre-existing skin disorder, wear protective gloves.	Eye Protection Not needed - flush eyes with water if exposed.
Other Protective Clothing or Equipment Not needed	Work/Hygienic Practices Nothing special